STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING
ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: *10/586,852*
Source: *IFWP*
Date Processed by STIC: *8/4/06*

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:
1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY
FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO **REDUCE** ERRORED SEQUENCE LISTINGS, **PLEASE** USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:
        http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.
Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.
Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (**<http://www.uspto.gov/ebc/efs/downloads/documents.htm>** , **EFS Submission User Manual** - ePAVE)
2. **U.S. Postal Service:** Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. **Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):** U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06

Raw Sequence Listing Error Summary

IFWP

RAW SEQUENCE LISTING   DATE: 08/04/2006
PATENT APPLICATION: US/10/586,852   TIME: 14:19:47

Input Set : A:\PTO.KD.txt
Output Set: N:\CRF4\08042006\J586852.raw

see item 2 on Error Summary Sheet

```
      3 <110> APPLICANT: Otsuka Pharmaceutical Co., Ltd.
      5 <120> TITLE OF INVENTION: epitope peptide which is recognized by HLA-A2402-
restricted and Ep-CAM-
      6        specific CTL
W-->  7 <130> FILE REFERENCE: 8132003JP
C-->  8 <140> CURRENT APPLICATION NUMBER: US/10/586,852
C-->  8 <141> CURRENT FILING DATE: 2006-07-20
      8 <150> PRIOR APPLICATION NUMBER: JP 2004-11752
      9 <151> PRIOR FILING DATE: 2004-01-20
E--> 11 <160> NUMBER OF SEQ ID NOS: (11)/2
     12 <170> SOFTWARE: PatentIn version 3.1
```

Does Not Comply Corrected Diskette Needed

ERRORED SEQUENCES

<210> 12 *last sequence in submitted file*
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Ep-CAM epitope peptide candidate being capable of inducing HLA-A0201-
restricted CTL

<400> 12

Tyr Gln Leu Asp Pro Lys Phe Ile Thr Ser Ile
1   5   10

VERIFICATION SUMMARY   DATE: 08/04/2006
PATENT APPLICATION: US/10/586,852   TIME: 14:19:48

Input Set : **A:\PTO.KD.txt**
Output Set: **N:\CRF4\08042006\J586852.raw**

```
L:7 M:283 W: Missing Blank Line separator, <130> field identifier
L:8 M:270 C: Current Application Number differs, Replaced Current Application No
L:8 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:18 M:283 W: Missing Blank Line separator, <220> field identifier
L:32 M:283 W: Missing Blank Line separator, <220> field identifier
L:46 M:283 W: Missing Blank Line separator, <220> field identifier
L:60 M:283 W: Missing Blank Line separator, <220> field identifier
L:74 M:283 W: Missing Blank Line separator, <220> field identifier
L:88 M:283 W: Missing Blank Line separator, <220> field identifier
L:102 M:283 W: Missing Blank Line separator, <220> field identifier
L:116 M:283 W: Missing Blank Line separator, <220> field identifier
L:127 M:283 W: Missing Blank Line separator, <220> field identifier
L:138 M:283 W: Missing Blank Line separator, <220> field identifier
L:149 M:283 W: Missing Blank Line separator, <220> field identifier
L:160 M:283 W: Missing Blank Line separator, <220> field identifier
L:11 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (11) Counted
(12)
```